

Multihead Weigher



Application

It is suitable for weighing leisure foods such as candy, seeds, jelly, pet foods, puffy foods, pistachio, peanuts, nuts, raisins etc. and big shell nuts, hardwares, dried fruits, frozen foods, snack foods, meatballs and so on.



Features

1. Adopt high precision and high accurate loadcell of famous brand, resolution is improved up to 2 decimal;
2. Program recovery function can reduce operation failures and support multi-segment weight calibration;
3. No products auto pause function can improve weighing stability and accuracy;
4. 100 programs capacity can meet various weighing requirements and user-friendly help menu contributes to easy operation;
5. Linear amplitude can be adjusted independently in the running;
6. Many languages available for global markets.

Mechanical Character


1. 1.6L/2.5L hopper, suitable for all kinds of common standard materials, can be used widely;
2. Mold making process and uniform design standards contribute to better interchangeability for spare parts;
3. Weighing type for material detection is available, which can make accurate control of feeding time & material thickness and ensure weighing accuracy;
4. Thickened carbon steel machine frame and the whole carbon steel middle standing improve the strength of the machine, making the time for stabilizing weighing shorter.
5. Suitable for dry environment and dry materials production environment, cost-effective.

NO.295,NORTH SONGWEI ROAD,SHANGHAI 201613,CHINA

Tel: +86-21-34662727 Fax:+86-21-34630350 E-mail:sales@tops-group.com


Technical Specification

Model	TP-A10	TP-A14
Identify Code	A10-1-1T	A14-1-1
Weighing Range	10-1000g	10-1500g
Accuracy	X(0.5)	X(0.5)
Max Speed	65P/M	120P/M
Hopper Volume	1.6/2.5L	
Control Panel	7" Touch Screen	
Options	Dimple Plate/Timing Hopper/Printer/Reject Device	
Driving System	Step Motor	
Power Requirement	220V/1000W/ 50/60Hz /10A	220V/1500W/ 50/60Hz /10A
Packing Dimension(mm)	1620(L)x1100(W)x1110(H)	1700(L)x1110(W)x1130(H)
Gross Weight	380kg	490kg




NO.295,NORTH SONGWEI ROAD,SHANGHAI 201613,CHINA

Tel: +86-21-34662727 Fax:+86-21-34630350 E-mail:sales@tops-group.com



NO.295,NORTH SONGWEI ROAD,SHANGHAI 201613,CHINA

Tel: +86-21-34662727 Fax:+86-21-34630350 E-mail:sales@tops-group.com



Packing system:



NO.295,NORTH SONGWEI ROAD,SHANGHAI 201613,CHINA

Tel: +86-21-34662727 Fax:+86-21-34630350 E-mail:sales@tops-group.com